

SpringTM_{USA}

UPDATED CATALOGUE

ANGLO-EAST TRADING CO. (HK) LTD

ROOM 906, BLOCK B, PO LUNG CENTRE, 11 WANG CHIU ROAD,
KOWLOON BAY, KOWLOON, HONG KONG

英東貿易(香港)有限公司

香港九龍九龍灣宏照道11號寶隆中心B座906室

TEL: (852) 2375 1111 FAX: (852) 2375 3409
E-MAIL: SALES@ANGLO-EAST.HK

CONTACT US

PRODUCT CATALOG

2022-2023

A Cornerstone Foodservice Company

TABLE OF CONTENTS

3 Induction Ranges

- 5 **NEW!** LoPRO
- 6 Countertop
- 10 **NEW!** Induction DOT
- 11 Unlimited Induction
- 12 Reconfigurable
- 14 Drop-in
- 15 **NEW!** Hidden MultiSurface
- 16 Custom Cases

17 Professional Cookware

- 18 Blackline
- 19 Endurance
- 20 Vulcano
- 22 Primo
- 25 Ironlite
- 26 Motif
- 28 Accessories/ Utensils

30 Buffet Systems

- 31 Sauteuse Servers
- 37 Oatmeal/ Soup Tureens
- 39 Mini Servers
- 40 Reflection Servers
- 43 Wynwood by Skyra
- 44 Servella
- 45 Chafers
- 46 Hotel Pans

48 Warming & Cooling

- 49 **NEW!** iLUME
- 50 Heat Lamps
- 52 Warming Trays
- 53 Integra
- 54 Solstice
- 55 Heating Elements

56 Tabletop

- 57 Risers
- 58 Xcessories Towers
- 60 Beverage Dispensers
- 62 Beverage Servers
- 64 Wheels, Bowls & Platters

65 Furniture

- 66 **NEW!** Mobile Carts
- 68 Mobile Cooking Stations
- 69 Mobile Action Carts
- 70 Quick Ship Tables & Credenzas
- 71 Frost Tops
- 71 Air Filtration System
- 72 Portable Power
- 69 Food Guards & Shields

75 Custom Solutions

- 76 Custom Ordering
- 78 Tables & Credenzas
- 80 SmartStone System

NEW! NEW PRODUCT

PATENTED PATENTED PRODUCT

 **MADE IN THE USA**

 **NSF-CERTIFIED**

 **INTERNATIONAL MODEL**

 **FINGERPRINT RESISTANT**

INDUCTION RANGES

Power. Efficiency. Precision.

*“When you buy quality, you buy only once.
Spring USA offers great quality at reasonable prices.”*

RANDY ZWEIBAN | EXECUTIVE CHEF | CHICAGO

BENEFITS OF INDUCTION



FASTER Rapid heat delivery with quicker recovery than gas or electric.



COST EFFECTIVE 90% less expensive than canned fuel! Save on air conditioning bill, too.



PRECISE Even heating, no hot spots. Adjusts automatically as food is added or subtracted.



SAFER No open flame or hot coils; surface cool to the touch when pan is removed.



MORE EFFICIENT 50% more efficient than gas; heats pans directly without losing energy into the air.



COOLER Low radiant heat keeps room cool. Heat stops when pan is removed.



CLEANER Sealed glass surface wipes easy. No stocking, spilling or disposing of canned fuel.



SPRING USA INDUCTION

COUNTERTOP | RECONFIGURABLE | DROP-IN | HIDDEN

ONE-YEAR OVERNIGHT EXCHANGE WARRANTY on all Spring USA ranges in the continental United States

PROVEN RELIABILITY with better performance tested against similar models & a less than 1% failure rating

SMARTSCAN® TECHNOLOGY safety features adjusts electrical output for pan size and construction, adjusts instantly to voltage fluctuations and auto shuts off after two minutes of non-use

AUTOMATIC PAN RECOVERY seamlessly adjusts and recognizes pans as you lift or tilt from the surface - similar to a gas range but with no flash point and better cost savings than conventional gas

GLASS TOP IS 25% THICKER THAN COMPETITION.
5mm tempered glass is reinforced for durability

EASY TO USE AND MAINTAIN.
Includes easy to read LED controls, self-leveling, slip-proof legs that prevent scratched surfaces, and dials are heavy duty knurled knobs*





LoPRO™

NEW!

The LoPRO™ slimline induction range is a new series of lightweight, compact induction ranges designed for durability and performance backed by Spring USA's industry-leading induction technology.

- ❑ Sleek, low-profile housing less than 2.4” high
- ❑ LED touch controls accessible via an easy to clean, tempered glass top
- ❑ Exclusive SmartScan® technology and Automatic Pan Recovery
- ❑ Available in low watt hold-only, cook/ hold, and double hob models
- ❑ FCC, ETL listed to: UL 197, CSA C22.2 #109 (cETL), NSF-4



HOLD ONLY INDUCTION RANGE
SM-300LP
300 W | 110-120 V | 2.5 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P



COOK/HOLD INDUCTION RANGE
SM-1800LP
1800 W | 110-120 V | 15 amps | 60 Hz
Cook Power Levels 1-20
Temp Mode, Temp 110°F - 400°F
NEMA 5-15P



HOLD ONLY INDUCTION RANGE
SM-1800LP-D
900x2 W | 110-120 V | 7.5x2 amps | 60 Hz
Cook Power Levels 1-20
Temp Mode, Temp 110°F - 400°F
NEMA 5-15P



MAX INDUCTION®

The first induction ranges to debut in the United States - MAX Induction offers optimal durability and performance with greater efficiency, precision, and safety over gas or flame.

- ❑ Reaches max temperature in just 60 seconds
- ❑ Exclusive SmartScan® technology assures correct temperature for optimal performance and energy-efficiency
- ❑ No flash points and better cost savings than conventional gas ranges
- ❑ 5mm glass top, the thickest glass surface in its class
- ❑ Automatic pan recovery seamlessly adjusts and recognizes pans as you lift or tilt from the surface during cooking, sauteing, or flipping
- ❑ Available in stainless steel and titanium for countertop models, as well as reconfigurable, drop-in, and hidden models



 **PLUG-IN TWO IN ONE 15-AMP CIRCUIT**

HOLD ONLY 650 WATT RANGE
SM-651C-T
Countertop
650 W | 110-120 V | 5.4 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P
9.8 lbs
12.5"W x 16.0"D x 3.1"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord



COOK & HOLD 1800 WATT RANGE

SM-181C

Countertop
 1800 W | 110-120 V | 15 amps | 60 Hz
 20 Settings | 110-400°F/43-204°C
 NEMA 5-15P
 11.8 lbs
 12.5"W x 16.0"D x 3.1"H
 FCC, ETL, ETL-Sanitation to NSF-4,
 CETL, UL 197
 7 ft. cord



COUNTERTOP



COOK & HOLD 1800 WATT RANGE

SM-181C-T

Countertop
 1800 W | 110-120 V | 15 amps | 60 Hz
 20 Settings | 110-400°F/43-204°C
 NEMA 5-15P
 11.8 lbs
 12.5"W x 16.0"D x 3.1"H
 FCC, ETL, ETL-Sanitation to NSF-4,
 CETL, UL 197
 7 ft. cord



COOK & HOLD 3500 WATT RANGE

SM-351C

Countertop
 3500 W | 208-240 V | 14.6 amps | 60 Hz
 20 Settings | 110-400°F/43-204°C
 NEMA 6-20P
 18.0 lbs
 15.0"W x 20.2"D x 5.8"H
 FCC, ETL, ETL-Sanitation to NSF-4,
 CETL, UL 197
 7 ft. cord



COOK & HOLD 2600 WATT RANGE

SM-261C

Countertop
 2600 W | 208-240 V | 10.8 amps | 60 Hz
 20 Settings | 110-400°F/43-204°C
 NEMA 6-20P
 11.8 lbs
 12.9"W x 16.5"D x 4.0"H
 FCC, ETL, ETL-Sanitation to NSF-4,
 CETL, UL 197
 7 ft. cord



COOK & HOLD 3500 WATT RANGE

SM-351C-FT

Countertop
 3500 W | 208-240 V | 14.6 amps | 60 Hz
 4 Time Settings | 110-400°F/43-204°C
 NEMA 6-20P
 18.0 lbs
 15.0"W x 20.2"D x 5.8"H
 FCC, ETL, ETL-Sanitation to NSF-4,
 CETL, UL 197
 30, 45, 70 or 80 sec countdown timer
 7 ft. cord



RECONFIGURABLE INDUCTION

REMOVABLE CONTROLS for countertop or drop-in application!

INDUCTION
dot.

NEW!

The Spring USA Induction DOT round induction range is the perfect solution for powerful induction in tight spaces. Compact in size with just a 9.1” diameter, these ranges take up minimal countertop space for either drop-in, flush-mount, or countertop induction.

- ❑ Low profile design, only 9.1” in diameter
- ❑ 3 different configurations: countertop, drop-in, or flush-mount
- ❑ Daisy-chain up to 4 units on a single 15-amp circuit
- ❑ Removable control box with touch controls & indicator lights
- ❑ Sleek, round housing with stainless-steel rim
- ❑ NSF-Certified, UL Rated NSF-4



HOLD ONLY ROUND INDUCTION RANGE

SM-360R

Countertop, Drop-in, Flushmount
360 W | 110-120 V | 3 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P



WYNWOOD BY SKYRA™ INDUCTION DOT DISPLAY STAND

SK-145360R

13.5” Diameter
Food-safe, nonporous, easy to clean

UNLIMITED INDUCTION™

PATENTED

- ❑ Edge-to-Edge technology can read one or more vessels, regardless of where they are placed
- ❑ Power receptacle in back of unit
- ❑ Reads multiple pans regardless of placement
- ❑ Removable controls allow for use on countertop or drop-in



INDUCTION RANGES

FEATURES



DAISY CHAIN

Outlet in back, connect up to five units on one 15-amp circuit

HOLD ONLY 300 WATT RANGE

SM-300CR

Countertop or Drop-in
300 W | 110-120 V | 2.5 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P
10.0 lbs
14.0”W x 14.0”D x 3.6”H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord
Minimum vessel size 4.7”/12cm

RECONFIGURABLE





MAX INDUCTION®


PATENTED



COOK & HOLD 2500 X 2 WATT DOUBLE RANGE

SM-251-2CR

Countertop or Drop-in
1250 W | 208-240 V | 10.4 x 2 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-30P
29.1 lbs
28.0"W x 18.1"D x 4.6"H
FCC, ETL, ETL-Sanitation to NSF-4,
CETL, UL 197
7 ft. cord

SM-253-2CR 
2500x2 W | 220-240 V | 20.8 x 2 amps | 50-60 Hz
Plug & receptacle to be supplied by the
customer, based on country code

FEATURES



REMOVABLE CONTROLS for
four possible applications -
countertop or drop-in in either
horizontal or vertical position



**COOK & HOLD 3500 WATT WOK RANGE
W/CONCAVE TOP**

SM-351WCR

Countertop or Drop-in
3500 W | 208-240 V | 14.6 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-20P | 17.6 lbs | 14.6"W x 19.1"D x 5.7"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord



**COOK & HOLD 3500 WATT WOK RANGE
W/CONCAVE TOP**

SM-351WCR-8

Includes 8217-60/32 Vulcano Wok Pan
Countertop or Drop-in
3500 W | 208-240 V | 14.6 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-20P | 17.6 lbs | 14.6"W x 19.1"D x 5.7"H
FCC, ETL, ETL-Sanitation to NSF-4,
CETL, UL 197
7 ft. cord



**COOK & HOLD 3500 WATT WOK RANGE
W/CONCAVE TOP**

SM-351WCR-6

Includes 8216-60/34 Primo Wok Pan
Countertop or Drop-in
3500 W | 208-240 V | 14.6 amps | 60 Hz
20 Temp Settings | 110-400°F/43-204°C
NEMA 6-20P | 17.6 lbs | 14.6"W x 19.1"D x 5.7"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

DROP-IN INDUCTION

REMOVABLE CONTROLS & FLUSHMOUNT GLASS TOP for drop-in application

MAX INDUCTION®



HOLD ONLY 650 WATT RANGE
SM-651R
Drop-in
650 W | 110-120 V | 5.4 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P | 10.6 lbs
12.6"W x 13.4"D x 3.3"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197

SM-653R 
650 W | 220-240 V | 2.7 amps | 50-60 Hz
CEE 7/7 16 A Schuko Plug


SM-653RU UK
650 W | 220-240 V | 2.7 amps | 50-60 Hz
BS 1363 (13A) U.K. Plug



COOK & HOLD 1800 WATT RANGE
SM-181R
Drop-in
1800 W | 110-120 V | 15 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 5-15P | 10.8 lbs
12.6"W x 13.4"D x 3.3"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197



COOK & HOLD 2600 WATT RANGE
SM-261R
Drop-in
2600 W | 208-240 V | 10.8 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-20P | 11.7 lbs
12.6"W x 13.4"D x 3.3"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197

SM-263R 
2600 W | 220-240 V | 10.8 amps | 50-60 Hz
CEE 7/7 16 A Schuko Plug

SM- 263RU UK
2600 W | 220-240 V | 10.8 amps | 50-60 Hz
BS 1363 (13A) U.K. Plug

HIDDEN MULTISURFACE INDUCTION

REMOVABLE CONTROLS & SPECIALIZED GLASS TOP for countertop undermount application

MAX INDUCTION®

Intentionally designed to work with Spring USA SmartStone® to be mounted under the countertop for a completely hidden operation. Hold-only range can be hidden under approved surfaces for a completely seamless operation.

SEAMLESSLY MOUNTS beneath the countertop to eliminate any cutting

TRIVETLESS SYSTEM, no RFID trivet required

SAFE FOR USE under SmartStone or other approved surfaces up to 2 cm thick

INDUCTION TECHNOLOGY safely senses & heats the serving vessel, not the countertop

HOLD ONLY MULTISURFACE 650 WATT RANGE
SM-651SS
Hidden
650 W | 110-120 V | 5.4 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P | 10.6 lbs
12.6"W x 13.4"D x 3.3"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197




SURFACEGUARD
SES651
8"Dia. x 1"H

SURFACE BRAND	SURFACE MATERIAL	SURFACE THICKNESS	VESSELS
SMARTSTONE™	PORCELAIN	1.2 cm / 2 cm max.	1.2 cm Thick: All Spring USA Induction Ready Vessels 2 cm Thick: Round Sauteuse Server, Square Server, Oatmeal/Soup Server, Servella, Ironlite, Wynwood by Skyra
SILESTONE*	QUARTZ	1.2 cm / 2 cm max.	
FIANDRE	PORCELAIN	1.2 cm / 2 cm max.	
EIFFELGRES	PORCELAIN	1.2 cm / 2 cm max.	
IRIS CERAMICA	PORCELAIN	1.2 cm / 2 cm max.	
FMG	PORCELAIN	1.2 cm / 2 cm max.	
ARIOSTEA	PORCELAIN	1.2 cm / 2 cm max.	
*Requires SurfaceGuard. For All Other Surfaces & Vessels, Please Inquire for Testing.			

CUSTOM INDUCTION RANGE CASES

Ranges offer front-of-house warming and cooking with back-of-house power and durability.



SINGLE RANGE CUSTOM CASES

HIDDEN HOLD ONLY 650 WATT RANGE W/CUSTOM CASE

SRC-651SS

650 W | 110-120 V | 5.4 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P
14.125"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

DOUBLE RANGE CUSTOM CASES

TWO HIDDEN HOLD ONLY 650 WATT DOUBLE RANGES W/CUSTOM CASE

SRC-2-651SS

650x2 W | 110-120 V | 5.4 x 2 amps | 60 Hz
4 Settings | 145-185°F/62-85°C
NEMA 5-15P
33.5"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

COOK & HOLD 1800 WATT RANGE W/CUSTOM CASE

SRC-181SS

1800 W | 110-120 V | 15 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 5-15P
14.125"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

TWO COOK & HOLD 1800 WATT DOUBLE RANGES W/CUSTOM CASE

SRC-2-181SS

1800x2 W | 110-120 V | 15 x amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 5-15P
33.5"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

COOK & HOLD 2600 WATT RANGE W/CUSTOM CASE

SRC-261SS

2600 W | 208-240 V | 10.8 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-20P
14.125"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

TWO COOK & HOLD 2600 WATT DOUBLE RANGES W/ CUSTOM CASE

SRC-2-261SS

2600x2 W | 208-240 V | 10.8 x 2 amps | 60 Hz
20 Settings | 110-400°F/43-204°C
NEMA 6-20P
33.5"W x 20.125"D x 6.0"H
FCC, ETL, ETL-Sanitation to NSF-4, CETL, UL 197
7 ft. cord

PROFESSIONAL COOKWARE

*Back of the House Durable.
Front of the House Beautiful.*

*“When you buy quality, you buy only once.
Spring USA cookware can last a lifetime. Spring USA
offers great quality at reasonable prices.”*

RANDY ZWEIBAN | EXECUTIVE CHEF | CHICAGO

PROFESSIONAL COOKWARE



Induction | Gas | Electric | Oven



PERFORMS LIKE CAST-IRON, BUT IS STRONGER AND LIGHTER

- Easy to season to create a non-stick, non-toxic surface
- Solid carbon steel construction with weld-mounted cast handle
- Designed to withstand the most intense heat; safe for oven or broiler
- Will never develop hot spots and bottom will never warp
- Lifetime warranty



8481-40/20
8.63" Dia. x 1.75"H

8481-40/24
10.25" Dia. x 2.0"H

8481-40/28
11.38" Dia. x 2.25"H

8481-40/32
13.13" Dia. x 3.38"H

“Spring USA cookware has *delivered superior performance*,
time and time, again. It is only natural *to rely on the best*,
Spring USA.”

FRANCOIS SANCHEZ | EXECUTIVE CHEF | GENEVA, IL



Induction | Gas | Electric | Oven



COMMERCIAL ALUMINUM COOKWARE DESIGNED FOR INDUCTION COOKING

- Dishwasher and oven safe
- 3-ply cast aluminum pan; Made without PTFE/PFOA
- Reinforced non-stick coating won't chip or flake
- Handle is stainless steel with coated rivets
- Withstands temperatures up to 550°
- One-year warranty on non-stick coating
- 10-year warranty on handle and rivets



FRY PAN
8451-30/20
7.875" Dia. x 1.25"H

FRY PAN
8451-30/24
9.5" Dia. x 1.75"H

FRY PAN
8451-30/28
11" Dia. x 1.75"H

FLAT BOTTOM WOK PAN
8452-30/28
11" Dia. x 3.0"H

ROUND INDUCTION SERVING TRAY
8360-30/42
16.5" Dia. (21.25"W with handles)



Induction | Gas | Electric | Oven



FIRST AND FINEST INDUCTION-READY, NON-STICK COOKWARE

- ❑ Reinforced non-stick coating won't chip or flake
- ❑ Made without PTFE/PFOA
- ❑ Stay cool handle is stainless steel with coated rivets
- ❑ Withstands temperatures up to 500°, oven safe
- ❑ One-year warranty on non-stick coating
- ❑ 10-year warranty on handle and rivets



FRY PAN
8478-60/16
 6" Dia. x 1.0"H

FRY PAN
8478-60/20A
 7.875" Dia. x 1.25"H

FRY PAN
8478-60/24A
 9.5" Dia. x 1.5"H



FRY PAN
8478-60/28A
 11" Dia. x 1.5"H



ROUND BOTTOM WOK PAN
8217-60/32
 4.0 qt./ 3.8 L
 12.625" Dia. x 3.0"H
 use with wok range on page 8



FLAT BOTTOM WOK PAN
 W/SHORT & LONG HANDLE
8218-60/35
 4.0 qt./ 3.8 L
 13.75" Dia. x 3.0"H



FLAT BOTTOM WOK PAN
 W/SHORT HANDLES
8214-60/35
 5.3 qt./5.0 L
 13.75" Dia. x 3.0"H

“I use Spring USA pans for not only their durability,
 but for their *suburb heat conductivity*. This makes them
exceptional for induction cooking.”

JEAN JOHO | EXECUTIVE CHEF/OWNER | CHICAGO



Induction | Gas | Electric | Oven



IDEAL FOR SERVING, DURABLE PRIMO SERVE & COOKWARE
IS AS BEAUTIFUL AS IT IS FUNCTIONAL

- Optimal control for frying, sauteing, searing, and browning
- 18/10 stainless steel outer layer & solid aluminum core
- Rivet mounted, stainless steel, stay cool handle
- Withstands temperatures up to 550°, oven safe
- 10-year warranty on handle and rivets

“SPRING USA EDGE” 5-PLY CONSTRUCTION

18/10 stainless steel outer layers
prevent warping and scratching

3-ply aluminum core provides quick
and even heat distribution

Rolled sealed edges protect the core
and eliminates harboring of bacteria

Safe for commercial dishwasher

Stainless steel outer layer

Sealed triple core aluminum

Inner layer stainless steel



FRY PAN
8186-60/20
8" Dia. x 1.38"H

FRY PAN
8186-60/26
9.5" Dia. x 1.63"H

FRY PAN
8186-60/30
11" Dia. x 2.0"H



ROASTING PAN 6 QT.
8165-60
6.0 qt./ 5.7 L
15.5"W x 12.0"D x 3.0"H
(17.25"W x 4.75"H w/ handles)



ROASTING PAN 3 QT.
8165-63
3.0 qt./ 2.8 L
13.0"W x 9.25"D x 2.5"H
(14.5"W x 4.25"H w/ handles)



GRIDDLE
W/RIBBED BOTTOM
8168-60/30
2.0 qt./ 1.9 L
12.0" Dia. x 1.5"H



OVAL SAUTE PAN
2 SHORT HANDLES
8188-60/38
1.5 qt./ 1.42 L
19.0"W x 10.5"D x 1.75"H



ROUND SAUTE PAN
8170-60/30
5.0 qt./ 4.7 L
12.0" Dia. x 2.75"H



OVAL SAUTE PAN
1 LONG, 1 SHORT HANDLE
8181-60/38
1.5 qt./ 1.42 L
11"W x 10"D x 1.75"H



9544/1 PORCELAIN INSERT
FOR 8170-60/30

9544/2 PORCELAIN DIVIDED
INSERT FOR 8170-60/30

ROUND BOTTOM
WOK PAN
8216-60/34
6.0 qt. / 5.7 L
13.4" Dia. x 4.0"H
use with wok range on page 8



GRATIN PAN-12"
8456-60/30
4.0 qt./ 3.8 L
12" Dia. x 1.63"H



PAELLA PAN
8460-60/40A
10.0 qt./ 9.5 L
15.75" Dia. x 3.5"H



PAELLA PAN COVER
460-61/40

PAELLA PAN PORCELAIN INSERT
9545
3.3 qt./ 3.1 L
16.63" Dia.

IRON*Lite*

Induction | Gas | Electric | Oven



THE LOOK OF CAST IRON WITHOUT THE WEIGHT OR MAINTENANCE
NO SEASONING. NO CHIPPING. NO STAINING. NO CRACKING.

- Lightweight aluminum, 50% lighter than cast-iron
- Self-braising cover
- Non-stick interior, high-temp coated exterior
- Dishwasher safe
- 1-yr warranty: coating & handles



4.7 QT. BLACK
8658-8/28
11" Dia. X 7.13"H
4.7 qt. / 4.45 L
5.4 lbs.



4.7 QT. GRAY
8658-9/28
11" Dia. X 7.13"H
4.7 qt. / 4.45 L
5.4 lbs.



2.7 QT. BLACK ONLY
8656-8/28
11" Dia. X 2.4"H
2.7 qt. / 2.6 L
5 lbs.



4.7 QT. RED
8658-5/28
11" Dia. X 7.13"H
4.7 qt. / 4.45 L
5.4 lbs.



PROFESSIONAL COOKWARE



- ❑ Cook, serve, and display all in one dish
- ❑ Stainless steel core with cast aluminum body for quick and even heat distribution
- ❑ Durable, reinforced non-stick coating won't rust, crack, chip or flake; Made without PTFE/PFOA
- ❑ Tempered glass, vented covers are reinforced with brushed stainless steel rim
- ❑ Withstands temperatures up to 550°, dishwasher safe
- ❑ 1-yr warranty: coating & handles



WHITE 8258-2/30/2
TITANIUM 8258-8/30/2
REPLACEMENT COVER 356-21/30M



TRAY TITANIUM 8260-8/32
12.5"W x 10.0"D x 1.0"H (15.25"W
with handles)

STAINLESS STEEL ACCESSORIES



COFFEE/CONDIMENT
 MEASURING SPOON 2 TBSP
 M3505-01 Qty 1
 M3505-01*12 Set of 12



SLOTTED SPOON 9.75"
 M3505-09



SLOTTED SPOON 13.5"
 M3505-35



BENT HANDLE LADLE 1.5 OZ.
 M3505-29B



PIZZA CUTTING WHEEL 4"
 M3505-88



SPOON 9.75"
 M3505-08



SPREADER KNIFE 8.25"
 M3505-13



SPOON 13"
 M3505-36



BENT HANDLE SOUP
 TUREEN LADLE 6 OZ.
 M3505-76



PIZZA/PIE SERVER 14"
 M3505-90



MULTI-PURPOSE TONGS
 One solid piece, holds its shape and is easy to clean

TONGS 8.5"
 9082.3*3

TONGS 10.5"
 9085.5*3

TONGS W/ CLAWS 10.5"
 9385*3



COVER/UTENSIL HOLDER
 9080*3
 7.5"L x 6.25"W x 7.5"H



OVAL UTENSIL REST
 M3557-28
 10"L x 4.5"W x 1.25"H



STORAGE CYLINDERS
 M8429/17
 2.0 qt./ 1.9 L
 5" Dia. x 6.75"H



POLISHED STAINLESS STEEL
 MENU HOLDERS
 321-6*12

INDUCTION BUFFET SERVERS

PIONEERING IN INDUCTION, SPRING USA CREATED THE FIRST INDUCTION BUFFET SERVER AND NOW HAS ONE OF THE LARGEST BUFFET SYSTEM OFFERINGS IN THE INDUSTRY

- 18/10 highly polished stainless steel
- Axles glide smoothly and hold cover open at any angle
- Water pan has an easy to read fill line
- Stabilizing arm with rubber foot keeps servers from sliding on countertops—purchase the extender arm for use with countertop induction ranges
- The first-ever water channel system diverts condensation away from food and back into the water bath
- Special design prevents induction conductivity issues caused by warping
- 10 year warranty for manufacturer defects on welds & metal casting



THE WORLD'S FIRST
induction server



SAUTEUSE

1.25-4 qt./ 1.2-3.8 L
15.4"W x 18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS

2372-6/36

GOLD ACCENTS

2372-697/36A



EASY VIEW WINDOW

VISION

1.25-4 qt./ 1.2-3.8 L
15.4"W x 18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS

2472-6/36

GOLD ACCENTS

2472-697/36

BUFFET SYSTEMS

*Created to be Exceptional.
Designed to be Beautiful.*

SEASONS, ROUND



SEASONS SERVERS are
fingerprint and scratch resistant

ROUND SAUTEUSE SERVER INSERTS

BUFFET SYSTEMS



TITANIUM
1.25-4 qt./ 1.2-3.8 L
15.4"W x "18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS
2382-8/36



BRONZE
1.25-4 qt./ 1.2-3.8 L
15.4"W x 18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS
2382-567/36



MERLOT
1.25-4 qt./ 1.2-3.8 L
15.4"W x "18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS
2382-367/36



SAPPHIRE (SPECIAL ORDER)
1.25-4 qt./ 1.2-3.8 L
15.4"W x 18.7"D x 6.3"H
With open cover: 22.0"H

CHROME ACCENTS
2382-467/36

GOLD ACCENTS
2382-897/36

BLACK PEARL ACCENTS
2382-88/36

GOLD ACCENTS
2382-597/36

BLACK PEARL ACCENTS
2382-587/36

GOLD ACCENTS
2382-397/36

BLACK PEARL ACCENTS
2382-387/36

GOLD ACCENTS
2382-497/36

BLACK PEARL ACCENTS
2382-487/36

- ❑ Most insert options in the industry
- ❑ Oven and dishwasher safe
- ❑ Most have a channel system to redirect condensation to the water pan instead of the food

- ❑ White coated inserts offer the look of porcelain with the lightweight durability of stainless steel
- ❑ Non-stick, high temp polymer coating is stain and scratch resistant
- ❑ Channels grease away from protein



STAINLESS STEEL
372-66/36
4.0 qt/ 3.8 L
14.125" Dia. x 2.25"H



CHANNELED BOTTOM
STAINLESS STEEL
372-66/36D
4.0 qt./ 3.8 L
14.125" Dia. x 2.25"H



DIVIDED PORCELAIN
9557-59/36/12
2 qt./ 1.9 L
14.125" Dia. x 2.25"H



WHITE STAINLESS STEEL
372-62/3
4.0 q.t/ 3.8 L
14.125" Dia. X 2.25"H



HALF PAN STAINLESS STEEL
372-66/36/12
2 qt./ 1.9 L
14.13"W x 7.06"D x 2.5"H



HALF PAN CHanneled
BOTTOM STAINLESS STEEL
372-36/12D
2 qt./ 1.9 L
14.13"W x 7.06"D x 2.5"H



PORCELAIN
9552-59/36
1.3 qt./ 1.2 L
14.125" Dia. x 2.5"H



HALF PAN WHITE STAINLESS STEEL
372-62/36/12
2 qt./ 1.9L
14.13"W x 7.06"D + 2.5"H



SERVER/STAND COMBO
3372-6/36
1.25-4 qt./ 1.2-3.8 L
15.4"W x 18.7"D x 11.3"H
With open cover: 28"H

SAUTEUSE SERVER STANDS
Stainless Steel | E372-6
Titanium | E382-8
Bronze | E382-597
Sapphire | E382-4
Merlot | E382-3

- ❑ Includes server & stand
- ❑ Use with canned fuel or heating elements found on page 55
- ❑ Adds 6" to server



DIM SUM INSERT SET
DB172-36/37
 Includes stainless steel adapter,
 bamboo basket & cover
 12.0" Dia. x 10.0" H
 (Adds 9" to server)



CBS BUMPER REPLACEMENTS
E237



ADDITIONAL PANS
372-37*3
 1.25 qt./ 1.8 L each



CONDIMENT HOLDER,
STAINLESS STEEL INSERT
372-37
 3.75 qt./ 3.55 L
 14.125" Dia.
 x 2.25"H



SAUTEUSE REPLACEMENT
AXELS
AA-644

SAUTEUSE REPLACEMENT
AXELS FOR VISION
SERVERS
AG-644



STORAGE TOTE
SBS-175
 Fits 1 Sauteuse Server
 23.75"W x 19.5"D x 12"H

SQUARE INDUCTION SERVERS



EASY VIEW WINDOW



VISION
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

CHROME ACCENTS
2474-6



STAINLESS STEEL
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

CHROME ACCENTS
2374-6

GOLD ACCENTS
2374-697

SEASONS, SQUARE



TITANIUM
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

GOLD ACCENTS
2384-897

BLACK PEARL ACCENTS
2384-88

CHROME ACCENTS
2384-8



BRONZE
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

GOLD ACCENTS
2384-597

BLACK PEARL ACCENTS
2384-587

CHROME ACCENTS
2384-567



SAPPHIRE (SPEC. ORDER)
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

GOLD ACCENTS
2384-497

BLACK PEARL ACCENTS
2384-487

CHROME ACCENTS
2384-467



MERLOT
 4-9.4 qt./ 3.8-8.9 L
 15.4"W x 19.0"D x 7.0"H
 With open cover: 23.5"H

GOLD ACCENTS
2384-397

BLACK PEARL ACCENTS
2384-387

CHROME ACCENTS
2384-367

SQUARE SERVER STANDS

- ❑ Includes server & stand
- ❑ Use with canned fuel or heating elements found on page 55
- ❑ Adds 6” to server



SERVER/STAND COMBO
3374-6
4-9.4 qt./ 3.8-8.9 L
15.4”W x 19.0”D x 11.3”H
With open cover: 28”H



STAINLESS STEEL | E374-6
TITANIUM | E374-8
BRONZE | E374-597
SAPPHIRE | E374-4
MERLOT | E374-3



SQUARE SERVER INSERT
374-66/23
6 qt./ 5.7 L
15.4”W x 15.6”D x 3.4”H
Channel system redirects condensation to water pan instead of food



ADAPTER FOR 2/3 SIZED HOTEL PANS
374-651/23
See 2/3 Sized Hotel Pan Inserts on Page 45



ADAPTER FOR 2- 1/3 SIZED HOTEL PANS
374-519/23
See 1/3 Sized Hotel Pan Inserts on Page 45

“With Spring USA’s *Convertible Induction Buffet System*,
I don’t have to gamble on *preparing & serving great foods*
to our guests.”

—
THOMAS SPOOR | EXECUTIVE CHEF | HAMMOND, IN

OATMEAL/SOUP SERVICE

- ❑ Features patented hinged cover
- ❑ 18/10 stainless steel
- ❑ Use with Spring USA Induction Ranges or pair with stands for use with fuel
- ❑ Colored servers are fingerprint and scratch resistant
- ❑ Use with tureen ladle on page 28
- ❑ Includes cover, tureen, water pan, and ring
- ❑ Perfect for oatmeal or soup
- ❑ 10 year warranty for manufacturer defects on welds & metal casting



STAINLESS STEEL
6 qt./ 5.7 L
13.8” Dia. x 9.3”H
With open cover: 15.0”H



SEASONS TITANIUM
6 qt./ 5.7 L
13.8” Dia. x 9.3”H
With open cover: 15.0”H



SEASONS BRONZE
6 qt./ 5.7 L
13.8” Dia. x 9.3”H
With open cover: 15.0”H

CHROME ACCENTS
2375-6/6H
GOLD ACCENTS
2375-697/6H

CHROME ACCENTS
2385-8/6
GOLD ACCENTS
2385-897/6
BLACK PEARL ACCENTS
2385-88/6

CHROME ACCENTS
2385-567/6
GOLD ACCENTS
2385-597/6
BLACK PEARL ACCENTS
2385-587/6



SEASONS SAPPHIRE (SPECIAL ORDER)
2385-467/6
Chrome Accents
6 qt./ 5.7 L
13.8” Dia. x 9.3”H
With open cover: 15.0”H



SEASONS MERLOT
2385-367/6
Chrome Accents
6 qt./ 5.7 L
13.8” Dia. x 9.3”H
With open cover: 15.0”H



SOUP STATION STAND
STAINLESS STEEL
E375-8/6
Adds 7.2” to server
TITANIUM
E375-8/6
BRONZE
E375-597/6
MERLOT
E375-397/6
SAPPHIRE
E375-497/6

- ❑ Includes tureen, cover, ring, and stand
- ❑ Use with canned fuel or heating element found on page 55
- ❑ Bent handle ladle sold separately on page 18

PATENTED



**SERVER/STAND COMBO
3375-6/6**
6 qt./ 5.7 L
13.6"W x 11.9"D x 16.5"H
With open cover: 20.0"H



**HINGED COVER FOR
SOUP TUREEN
STAINLESS STEEL
444-61/24H**



**RING FOR SOUP STATION
STAINLESS STEEL
375-651/6**
11.9" Dia.



**SOUP TUREEN
375-60/6**
6 qt./ 5.7 L
13.6"W x 10.0"D x 7.5"H



**SAUCE/SYRUP SERVER
WITH LADLE
2565-6**
1.58 qt. / 1.5 L
7.9"W x 7.3"D x 9.8"H

NOTCHED TUREEN COVERS



Item#	Cover Color	Accent Color
375-61/6	Stainless Steel	Chrome
375-697/6	Stainless Steel	Gold
375-61/6TC	Titanium	Chrome
375-61/6TG	Titanium	Gold
375-61/6TB	Titanium	Black Pearl
375-61/6BC	Bronze	Chrome
375-61/6BG	Bronze	Gold



Item#	Cover Color	Accent Color
375-61/6BB	Bronze	Black Pearl
375-61/6SC	Sapphire	Chrome
375-61/6SG	Sapphire	Gold
375-61/6SB	Sapphire	Black Pearl
375-61/6MC	Merlot	Chrome
375-61/6MG	Merlot	Gold
375-61/6MB	Merlot	Black Pearl



MINI SERVERS



EASY VIEW WINDOW

- ❑ Use with induction or fit multiples on a warming tray
- ❑ 18/10 mirror polished stainless steel
- ❑ Water pan has an easy to read fill line to avoid overflow
- ❑ Axles glide smoothly and hold cover open at any angle
- ❑ Special design prevents induction conductivity issues caused by warping
- ❑ Perfect for condiments, sauces, dips and more
- ❑ 10 year warranty for manufacturer defects on welds & metal casting



**MINI VISION ROUND
2472-6/28**
1.9 qt. / 1.8 L
10.5"W x 13.0"D x 5.75"H



**MINI VISION RECTANGLE
2474-6/13**
1.7 qt. / 1.6 L
8.5"W x 12.0"D x 5.75"H



**STAND
E372-28**
1.9 qt. / 1.8 L
Adds 4.5" to server



**STAND
E372-13**
Adds 4.5" to server



**INSERT
372-66/28**
1.9 qt. / 1.8 L
11.0" Dia. x 2.25"H



**INSERT
374-66/13**
1.7 qt. / 1.6 L
8.8"W x 10.8"D x 2.2"H



**CHANNELED INSERT
372-66/28D**
1.9 qt. / 1.8 L
11.0" Dia. x 2.25"H



**2 CAVITY INSERT
374-519/12**
2 x 0.6 qt. / 0.6 L
8.8"W x 10.8"D x 2.5"H

REFLECTION SERVERS

- ❑ Use with Spring USA Induction Ranges or pair with stands for use with canned fuel or electric heating elements on page 55
- ❑ All servers come with one insert pan
- ❑ 18/8 stainless steel
- ❑ Economical buffet solution
- ❑ All-angle axle system glides smoothly and allows covers to hold open at virtually any angle
- ❑ Self-closing axles available upon request
- ❑ 10 year warranty for manufacturer defects on welds & metal casting



TITANIUM 6 QT. ROUND REFLECTION
2172-8/37
6 qt./ 5.7 L
16.7"W x 20.5"D x 7.9"H
With open cover: 24.5"H



ROSE GOLD 6 QT. ROUND REFLECTION
2172-5/37
6 qt./ 5.7 L
16.7"W x 20.5"D x 7.9"H
With open cover: 24.5"H



STAINLESS STEEL 6 QT. ROUND REFLECTION
2172-6/37
6 qt./ 5.7 L
16.7"W x 20.5"D x 7.9"H
With open cover: 24.5"H



EASY VIEW WINDOW

6 QT. ROUND REFLECTION STAND AND INSERTS


- ❑ Oven and dishwasher safe
- ❑ White Coated Inserts offer the look of porcelain with the lightweight durability of stainless steel
- ❑ Non-stick, high temp polymer coating is stain and scratch resistant



STAND FOR 6 QT. ROUND REFLECTION SERVER
172-6/37
Adds 4.6" to server



HEATING ELEMENT ADAPTER FOR STAND
EA172



Add electric heating element – See page 29



STAINLESS STEEL INSERT
572-66
6 qt./ 5.7 L
15.25" Dia. x 2.5"H



STAINLESS STEEL DIVIDED INSERT
572-66/12
6 qt./ 5.7 L
15.25" Dia. x 2.5"H



STAINLESS STEEL CONDIMENT INSERT
372-37
3.75qt./ 3.55L
14.125" Dia. x 2.25"H



WHITE STAINLESS STEEL INSERT
572-62
6 qt./ 5.7 L
15.25" Dia. x 2.5"H



DIM SUM INSERT SET
DA172-36/37
Includes stainless steel adapter, bamboo basket & cover
12.0" Dia. x 10.0"H
Adds 10" to server



ADDITIONAL BASKET & COVER
DA172
12.0" Dia. x 4.0"H

ADDITIONAL PANS
372-37*3
1.25 qt./1.18 L each



WHITE STAINLESS STEEL DIVIDED INSERT
572-62/12
6 qt./ 5.7 L
15.25" Dia. x 2.5"H



**4.5 QT. REFLECTION ROUND
BUFFET SERVER**
2172-6/30
4.5 qt./ 4.3 L
15.0"W x 18.8"D x 7.9"H
With open cover: 22.5"H



**STAND FOR 4.5 QT.
REFLECTION ROUND**
172-6/30
Adds 4.1" to server



**4.5 QT. ROUND INSERT-
PORCELAIN**
9544/1
4.5 qt./ 4.3 L
11.9" Dia. x 1.8"H



EASY VIEW WINDOW



9.4 QT. SQUARE BUFFET SERVER
2174-6
5-9.4 qt./ 4.7-8.9 L
15.9"W x 18.3"D x 7.5"H
With open cover: 22.5"H
Accepts 1/3 and 2/3 sized Hotel
Pan Inserts on page 45



**SQUARE BUFFET
SERVER STAND**
174-6/23
Adds 4.5" to server



**6.9 QT. SQUARE
BUFFET SERVER**
2173-6/12
2-6.9 qt./ 1.9-6.5 L
16.75"W x 15"D x 7.5"H
With open cover: 19.5"H
Accepts 1/2 sized Hotel Pan
Inserts on page 44



HEATING ELEMENT ADAPTERS
EA171/174
For a Full or 9.4 qt.
Square Stand
Add electric heating
element on page 53



**FULL SIZE
BUFFET SERVER**
2171-6
8.4-14.8 qt./ 7.9-14.0 L
23.1"W x 18.6"D x 7.8"H
With open cover: 22.5"H
Accepts hotel pans pages 44-45



**FULL SIZE BUFFET
SERVER STAND**
171-6/11
Adds 4.7" to server



All Angle
Replacement
Axels
K102

Self Closing
Replacement
Axels
K101

Extendable
Support Arm
for Servers
372-601

CBS Bumper
Replacements
E237



WYNWOOD BUFFET SYSTEM

EXCLUSIVE DISTRIBUTOR.
NORTH AMERICA
SKYRA
Professional Tableware

- Intelligent, modular series made of up to 14 different configuration between four different base sizes and shapes
- Custom hydro dip woodgrain coating withstands extreme temperatures
- Food-safe, nonporous, easy to clean
- Wood composite material resistant to bacteria



**ROUND WOOD
COMPOSITE PLATFORM**
8.75" DIA. SK-14501FXW
10.6" DIA. SK-14502FXW
12.6" DIA. SK-14503FXW



**STAINLESS STEEL BUFFET
SERVER W/ INSERT**
2.5 QT. SK-14501180
5 QT. SK-14502180
9 QT. SK-14503180



**ROUND STAINLESS
STEEL STAND**
8.75" DIA. SK-14501141
10.6" DIA. SK-14502141
12.6" DIA. SK-14503141



**BRUSHED STAINLESS
STEEL FUEL HOLDER**
6.25" DIA. SK-14501141FH
7.25" DIA. SK-14502141FH



**STAINLESS STEEL
INDUCTION STAND**
SM300CR SK-14511141
181R, 261R, 263R SK-14512141



**FULL SIZE ROLL
TOP COVER**
SK-14502



**FULL SIZE STAINLESS
STEEL STAND**
SK-14505141



**STAINLESS STEEL
ICE TRAY**
SK-14505141IT



servella

PROFESSIONAL SERVINGWARE

- Aged-copper coated finish that wont crack, flake, or chip even with high heat and rigorous use
- Comes with an easy-read water fill line inside vessel and one removable insert
- Safe to use with induction, electric, gas and fuel, and is oven-safe



ROUND AGED COPPER
2272-5/27
4 qt. / 3.8 L
10.2" Dia. x 4.7"h



ADDITIONAL INSERT
272-66/27



SQUARE AGED COPPER
2274-5/23
4 qt. / 3.8 L
11.4"W x 11.4"D x 4.7"H



ADDITIONAL INSERT
272-66/23



RECTANGLE AGED COPPER
2271-5
4 qt. / 3.8 L
15.2"W x 8.5"D x 3.3"H



ADDITIONAL INSERT
272-66/11

RONDO CHAFING DISHES

- Mirror-polished 18/10 stainless steel
- Water channel system redirects condensation to the water pan instead of the food
- All-angle axle system glides smoothly and allows covers to hold open at virtually any angle
- Use with canned fuel (stands only) or electric heating elements found on page 55
- Chafers come with one insert and canned fuel holder
- 10 year warranty for manufacturer defects on welds & metal casting



CLASSIC FULL SIZE CHAFER
K2509-6
8.4-14.8 qt./ 7.9-14.0 L
26.0"W x 18.9"D x 15.8"H
See inserts next page
*18/8 Stainless Steel

K2509-6A
Includes Heating Element 9517
See details on page 53



FULL SIZE CHAFER
2509-6A
8.4-14.8 qt./ 7.9-14.0 L
26.0"W x 18.9"D x 9.0"H
See inserts next page



BUILT-IN FULL SIZE CHAFER
2546-6A
8.4-14.8 qt./ 7.9-14.0 L
26.0"W x 18.9"D x 15.3"H
Includes Heating Element 9506/1
See details on page 53


GOLD ACCENTS
2546-697A

ROUND RONDO CHAFING DISHES



BUILT-IN ROUND CHAFER
2547-6/35
3-8 qt./ 2.8-7.6 L
13.75" Dia. x 8.9"H
Includes Heating Element 9524/1
See details on page 53

GOLD ACCENTS
2547-697/35



ROUND CHAFER
2510-6/35
3-8 qt./ 2.8-7.6 L
13.75" Dia. x 18.4"H



STAINLESS STEEL
510-66/35
8 qt./ 7.6 L

PORCELAIN DIVIDED
9546/2
6 qt./ 5.7 L

STAINLESS STEEL
510-66/35/12
3 qt./ 2.8 L

HOTEL PANS

- ❑ Oven and dishwasher safe
- ❑ Choose from stainless steel or porcelain
- ❑ White Coated Inserts offer the look of porcelain with the lightweight durability of stainless seel



FULL SIZE PANS



STAINLESS STEEL
521-66/11
14.8 qt./ 14 L
20.9"W x 12.9"D x 4.0"H



STAINLESS STEEL
522-66/11
9.9 qt./ 9.4 L
20.9"W x 12.9"D x 2.5"H



WHITE STAINLESS STEEL
522-62/11
9.9 qt./ 9.4 L
20.9"W x 12.9"D x 2.5"H

TWO-THIRD SIZE PANS



STAINLESS STEEL
521-66/23
9.4 qt./ 8.9 L
13.9"W x 12.8"D x 4.0"H



STAINLESS STEEL
522-66/23
5.8 qt./ 5.5 L
13.9"W x 12.8"D x 2.5"H



WHITE STAINLESS STEEL
522-62/23
5.8 qt./ 5.5 L
12.9"W x 12.8"D x 2.5"H

HALF SIZE PANS



STAINLESS STEEL
521-66/12
6.9 qt./ 6.5 L
12.9"W x 10.5"D x 4.0"H



STAINLESS STEEL
522-66/12
4.3 qt./ 4.1 L
12.9"W x 10.5"D x 2.5"H



WHITE STAINLESS STEEL
522-62/12
4.3 qt./ 4.1 L
12.9"W x 10.5"D x 2.5"H

ONE-THIRD SIZE PANS



STAINLESS STEEL
521-66/13
4.3 qt./ 4.1 L
12.9"W x 7.0"D x 4.0"H



STAINLESS STEEL
522-66/13
2.7 qt./ 2.6 L
12.9"W x 7.0"D x 2.5"H



WHITE STAINLESS STEEL
522-62/13
4.5 qt./ 4.3 L
12.9"W x 7.0"D x 2.5"H



PORCELAIN
9543/1
2 qt./ 1.9 L
12.625"W x 6.25"D x 2.375"H



iLUME

NEW!

PATENT - PENDING

Our newest product to join the heat lamp family, with advanced features in our slimmest, sleekest design.

- New modern design
- Completely adjustable for single or double vessel, front to back or side to side warming via the repositional lamp head
- Long wave heat technology for better presentation and performance over traditional heat lamps
- Energy efficient - only 300 watts
- Easily daisy chain multiple units with additional outlet in stem



LONG WAVE HEAT LAMP

2791-ILT

300 W | 110-120 V

NEMA 5-15P

12.8 lbs


FINGERPRINT RESISTANT

WARMING & COOLING SYSTEMS


*Low Power Solutions.
High-End Quality.*

ADJUSTABLE ARM HEAT LAMPS

- ❑ Weighted base provides stability from tipping
- ❑ 18/8 stainless steel with mirror polish or matte black finish
- ❑ Included shatterproof bulb
- ❑ 360 degree adjustable neck
- ❑ Integrated outlet in stem
- ❑ Daisy-chain additional heat lamps or connect a warming traying in a single 15 amp outlet



SINGLE ADJUSTABLE ARM POLISHED
2791-6E
250 W | 110-120 V | 2.1 amps | 60 Hz
NEMA 5-15P
12.0 lbs
10.5"W x 7.1"D base, (15.1"D from back of base to farthest edge of shade) x 24.9"H (with shade parallel to base)
ETL. UL
Daisy chain 6 units on a 15-amp circuit
5.5 ft. cord

2791-6E-220 
250 W | 220-240 V | 1.0 amps | 50-60 Hz
CEE-7/7 16A Schuko Plug
(BS 1363 (13A) U.K. Plug also available)
Daisy chain 12 units on a 15-amp circuit




SINGLE TITANIUM
2791-6EB
250 W | 110-120 V | 2.1 amps | 60 Hz
NEMA 5-15P
12.0 lbs
10.5"W x 7.1"D base, (15.1"D from back of base to farthest edge of shade) x 24.9"H (with shade parallel to base)
ETL. UL
Daisy chain 6 units on a 15-amp circuit
5.5 ft. cord



FINGERPRINT RESISTANT




DOUBLE ADJUSTABLE NECK
2792-6E
500 W | 110-120 V | 4.2 amps | 60 Hz
NEMA 5-15P
16.4 lbs
10.5"W x 7.1"D base, (15.1"D from back of base to farthest edge of shade) x 24.9"H (with shade parallel to base)
ETL. UL
Daisy chain 3 units on a 15-amp circuit
5.5 ft. cord

2792-6E-220 
500 W | 220-240 V | 1.0 amps | 50-60 Hz
CEE-7/7 16A Schuko Plug
(BS 1363 (13A) U.K. Plug also available)



DOUBLE TITANIUM
2792-6EB
500 W | 110-120 V | 4.2 amps | 60 Hz
NEMA 5-15P
16.4 lbs
10.5"W x 7.1"D base, (15.1"D from back of base to farthest edge of shade) x 24.9"H (with shade parallel to base)
ETL. UL
Daisy chain 3 units on a 15-amp circuit


2792-6EB-220 
500 W | 220-240 V | 1.0 amps | 50-60 Hz
CEE-7/7 16A Schuko Plug
(BS 1363 (13A) U.K. Plug also available)

PIVOT HEAD HEAT LAMPS

- ❑ Premium 18/10 brushed stainless steel
- ❑ Easy to use on/off toggle switch
- ❑ Solid positioning, pivoting head design
- ❑ Included shatterproof bulbs




SINGLE
2791-5
250 W | 110-120 V | 2.1 amps | 60 Hz
NEMA 5-15P
14.6 lbs
8.0"W x 10.5"D base, (16.7"D from back of base to farthest edge of shade) x 25.6"H (with shade parallel to base)
ETL. UL | 5.5 ft. cord

2791-5-220 
250 W | 220-240 V | 1.0 amps | 50-60 Hz
CEE-7/7 16A Schuko Plug
(BS 1363 (13A) U.K. Plug also available)



DOUBLE
2792-5
500 W | 110-120 V | 4.2 amps
60 Hz
NEMA 5-15P
22.8 lbs
8.0"W x 10.5"D base, (15.7"D from back of base to farthest edge of shade) x 25.6"H (with shade parallel to base)
ETL. UL | 5.5 ft. cord

2792-5-220 
500 W | 220-240 V | 2.1 amps | 50-60 Hz
CEE-7/7 16A Schuko Plug
(BS 1363 (13A) U.K. Plug also available)

ADJUSTABLE HEIGHT PIVOT HEAD


- ❑ Knurled knob smoothly, but firmly adjusts height (22-26")
- ❑ Outlet located in base



COPPER (SPECIAL ORDER)
2791-6C
250 W | 110-120 V | 2.1 amps | 60 Hz
NEMA 5-15P
14.6 lbs
8.0"W x 17.0"D x 22- 26.0"H
ETL. UL | 5.5 ft. cord
Daisy Chain 6 units on a 15-amp circuit



ONYX (SPECIAL ORDER)
2791-6B
250 W | 110-120 V | 2.1 amps | 60 Hz
NEMA 5-15P
14.6 lbs
8.0"W x 17.0"D x 22- 26.0"H
ETL. UL | 5.5 ft. cord
Daisy Chain 6 units on a 15-amp circuit



WARMING TRAYS

- ❑ Economical buffet solution
- ❑ Low profile pairs well with lamps
- ❑ Energy saving - only 1.91 amps
- ❑ Plug 6 trays into one 15-amp circuit
- ❑ Tempered glass top is easy to clean



STEALTH WARMING TRAY
ST-1220-T
230 W | 110-120 V | 1.9 amps | 60 Hz
80-200°F / 27-93°C
NEMA 5-15P | 11.4 lbs
23.8"W x 13.0"D x 2.0"H
ETL. UL | 5.5 ft. cord



WARMING TRAY
ST-1220
24.2"W x 13.8"D x 1.9"H




RISER FOR WARMING TRAYS
Stainless Steel Riser for ST-1220: **STS-1220**
Stainless Steel Riser for ST-1220-T: **STS-1220-SS**
Titanium Riser for ST-1220: **STS-1220-ST**
Titanium Riser for ST-1220-T: **STS-1220-T**



CARVING STATION WITH UNHEATED MOCHA BOARD
2793-5M
500 W | 110-120 V
4.2 amps | 60 Hz
NEMA 5-15P | 58.2 lbs
Lamp (8.0"W x 10.5"D base, 15.7"D (from back of base to farthest edge of shade) x 25.6" H (with shade parallel to base)+ board (24.5"W x 18.3"D x 2.9"H)
ETL. UL | 5.5 ft. cord

CARVING STATION WITH UNHEATED ONYX BOARD
2793-5O

MOCHA BOARD UNHEATED
2793-5M-220 
500 W | 220-240 V | 2.1 amps | 50-60 Hz
CEE 7/7 Schuko Plug, (BS 1363 (13A) U.K. Plug also available)



Integra DUAL WARMING SYSTEM

- ❑ Overhead ceramic heating element with warming tray
- ❑ Power receptacle in back; Daisy chain 3 units on a 20-amp circuit
- ❑ LED lighted canopy highlights food
- ❑ Add an optional etched logo or design to canopy
- ❑ Ships assembled and ready to use
- ❑ 1-year warranty on parts & labor



INTEGRA DUAL WARMING SYSTEM
ISS-600
600 W | 120 V | 5 amps | 60 Hz
105-250°F / 41-121 °C
NEMA 5-20P
20.6 lbs.
26.8"W x 13.5"D x 18.75"H
ETL certified to UL 197 and CSA C22.2 #109
Daisy chain 3 units on a 20-amp circuit
5.5 ft. cord
NSF 4 certified and patented

Solstice COOLING & WARMING SYSTEM

ELECTRICAL HEATING ELEMENTS

- Temperatures range from 23-50°F and 120-185°F
- Goes from warm to cold in 45 minutes
- Only 1.91 amps
- Does not use water or freon
- Non-stick titanium coated body is fingerprint and scratch resistant
- Includes one full size 8-quart insert pan

PATENTED



EASY VIEW WINDOW



SOLSTICE

HC380-CT

230 W | 110-120 V | 1.9 amps | 60 Hz
23-50°F/-5-10°C &
120-185°F/49-85°C
NEMA 5-15P
61.8 lbs
24.0"W x 18.9"D x 11.4"H
With open cover: 27.0"H
ETL. UL

HC383-CT

230 W | 220-240 V | 1.9 amps | 50-60 Hz
CEE-7/7 Schuko Plug, (BS 1363 (13A) U.K.
Plug also available)

SOLSTICE FULL SIZE INSERT

580-8/11

20.9"W x 13.0"D x 2.6"H

SOLSTICE DIVIDED INSERT

580-8/12

20.9"W x 13.0"D x 2.6"H
Solstice non-stick
coated inserts are made
from die-cast aluminum for
maximum temperature distribution

- Integrated safety thermostat prevents overheating
- One year warranty
- Choose self-regulating or adjustable controls options



COFFEE URN & SOUP STATION

9503

170 W | 110-120 V | 1.4 amps | 50-60 Hz
185°F/85°C
PVC cable
UL, CE
8 ft. cord w/NEMA 5-15P Plug
Holds coffee at perfect
temperature without burning

ROUND CHAFER & SERVERS

9520

240 W | 110-120 V
2.0 amps | 50-60 Hz
210°F/99°C
PVC cable
UL, CE
8 ft. cord w/NEMA 5-15P Plug



9524

500 W | 110-120 V
4.2 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE
8 ft. cord and NEMA 5-15P Plug



9524/1

500 W | 110-120 V
4.2 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE
8 ft. cord with energy regulator
and NEMA 5-15P Plug



**RECTANGLE OR FULL-SIZE
CHAFERS & SERVERS**

9517

450 W | 110-120 V
3.8 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE
8 ft. cord w/NEMA 5-15P Plug

9509

600 W | 110-120 V | 5.0 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE | 8 ft. cord w/NEMA 5-15P Plug

9508

600 W 220-240 V | 5.8 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE
8 ft. cord | w/Schuko Plug

9506/1

700 W | 110-120 V
5.8 amps | 50-60 Hz
410°F/210°C
PVC cable
UL, CE | 8 ft. cord with energy
regulator and NEMA 5-15P Plug



9505/1

800 W | 220-240 V | 3.3 amps | 50-60 Hz
240°F/99°C
PVC cable
UL, VDE | 8 ft. cord with energy
regulator and Schuko Plug

TABLETOP

Height. Flexibility. Drama.

RISERS (SET OF THREE)



HAMMERED STAINLESS STEEL

XC3198*3

6"W x 6"D x 4"H

7"W x 7"D x 6"H

8"W x 8"D x 8"H



TITANIUM

XC3200*3

6"W x 6"D x 4"H

7"W x 7"D x 6"H

8"W x 8"D x 8"H

Smooth, matte, non-stick finish. Fingerprint & scratch resistant.

INDUSTRIAL RISERS



INDUSTRIAL RISER W/ FOLDABLE LEGS

SK-9431

9.5 W x 4 H x 9.5 D in



INDUSTRIAL RISER W/ FOLDABLE LEGS

SK-9432

12.5 W x 4 H x 12.5 D in



INDUSTRIAL RISER W/ FOLDABLE LEGS

SK-9433

12.5 W x 6 H x 12.5 D in



INDUSTRIAL RISER W/ FOLDABLE LEGS

SK-9434

15.5 W x 6 H x 15.5 D in

SK-9435

15.5 W x 4 H x 15.5 D in

MARRAKECH RISERS



JUTE BURNT COPPER SMALL RISER

ST-15201

5.5 H x 10.0 D in



JUTE BURNT COPPER LARGE RISER

ST-15202

8.5 H x 10.0 D in

XCESSORIES TOWERS

- ❑

Bring your buffet to the next level
Interchangeable display pieces add
height and drama to any presentation
- ❑

10-year warranty on welds
- ❑

Mix and match glass shelves and accessories
with various Tower heights for countless
display options
- ❑

Metal Towers are solid 18/8 stainless steel,
with strong, durable welds



STAINLESS STEEL
XC1122
8.25"W x 8.25"D x 13.75"H




STAINLESS STEEL
XC1123
10.0"W x 10.0"D x 9.0"H



TITANIUM
XC1122-8



TITANIUM
XC1122-8



STAINLESS STEEL
XC1124
10.0"W x 10.0"D x 4.34"H




WOOD COLD DISPLAY
XC2201
22.75"W x 15.0"D x 9.75"H

COLD PACKS INSERTS
XC201

GLASS SHELVES



XC4242
16.63"W x 16.63"D




XC6042
23.63"W x 13.75"D




XC2575
29.5"W x 9.75"D



XC8042
31.63"W x 16.5"D



SQUARE GLASS PLATE
XC137-2*3
12.0"W x 13.63"D
Fits all Stainless and
Wood Towers except
1122 and 1124
Fits in top of Towers



CURVED GLASS SHELF
XC6536
25.6"W x 14.4"D

FUEL HOLDER FOR TOWERS

- ❑

For power-limited situations
- ❑

Heavy duty construction
- ❑

For all Tower sizes, except wood



XC1124-A
Fits 4.34" Tower



XC1123-A
Fits 9" Tower



XC1122-A
Fits 13.75" Tower

BEVERAGE DISPENSERS

- ❑ Mirror polished 18/10 stainless steel
- ❑ Acrylic canisters are stain resistant
- ❑ Equipped with a hands-free spigot adapter to help reduce germ transmission and minimize cross contamination of germs
- ❑ Solid cast, stainless steel faucet with removable, easy clean-out valve
- ❑ Separate ice core does not dilute beverage
- ❑ BPA free; NSF certified
- ❑ Skid and scratch proof footing



4.2 QT BEVERAGE DISPENSER
2511-6/4
4.2 qt./ 4.0 L
6.5"W x 10.5"D x 22.0"H



7.4 QT BEVERAGE DISPENSER
2511-6/7
7.4 qt./ 7.0 L
8.0"W x 11.5"D x 25.0"H



7.4 QT BEVERAGE DISPENSER WITH DRIP TRAY
2525-6/7
7.4 qt./ 7.0 L
8.9"W x 13.8"D x 25.0"H

ADDITIONAL ADAPTERS



HANDS FREE SPIGOT ADAPTER, JUICE DISPENSER
FA-511
Retrofit existing Spring USA beverage dispensers



HANDS FREE SPIGOT ADAPTER, COFFEE URN
FA-505
Retrofit existing Spring USA coffee urns & milk dispenser

COFFEE

- ❑ 18/10 mirror polished stainless steel
- ❑ Solid cast stainless steel faucets
- ❑ Equipped with a hands-free spigot adapter to help reduce germ transmission and minimize cross contamination of germs
- ❑ Stay cool handles
- ❑ Skid and scratch proof footing
- ❑ Option to add electric heating element that keeps coffee at the perfect temperature without burning



6 QT. COFFEE URN
2505-6/6
6 qt./ 5.7 L
11.0"W x 10.9"D x 17.1"H



12 QT. COFFEE URN
2505-6/12A
12 qt./ 11.4 L
13.2"W x 12.5"D x 19.7"H



20 QT. COFFEE URN
2505-6/20
5.25 qt./ 5.0 L
15.4"W x 15.9"D x 22.4"H

MILK DISPENSER

- ❑ 18/10 mirror polished stainless steel.
- ❑ Solid cast stainless steel faucets.
- ❑ Separate ice core does not dilute beverage.



5 QT. MILK DISPENSER
2528-6/5
5.3 qt. / 5.0 L
8.9"W x 13.8"D x 18.5"H

SIGMA BEVERAGE SERVERS

- ❑ Vacuum insulated, double-wall holds hot and cold beverages at temperature for 6 hours
 - ❑ Stainless steel liner, no glass
- ❑ Remains sealed until tab is pushed for pouring
 - ❑ Available in brushed or polished finish
 - ❑ Additional colored tabbed lids available



BRUSHED
18599-5
24 oz./ 0.7 L



BRUSHED
18600-5
34 oz./ 1.0 L



BRUSHED
18601-5
52 oz./ 1.5 L



POLISHED
18600-6
34 oz./ 1.0 L

DELTA BEVERAGE SERVERS

- ❑ Vacuum insulated, double-wall holds hot and cold beverages at temperature for 6 hours
 - ❑ Brushed stainless steel exterior
- ❑ Stainless steel liner, no glass
 - ❑ Easy pour lid opens when tilted
 - ❑ Elegant and durable
 - ❑ Optional etching available



17598-5
14oz./ 0.4 L



17599-5
24 oz./ 0.7 L



17600-5
34 oz./ 1.0 L



17601-5
52 oz./ 1.5 L

ADDITIONAL COVERS FOR SIGMA



E598.6*6
Set of six



E598.7*6
Set of six



E598.8*6
Set of six



E598.9*6
Set of six

ADDITIONAL COVERS FOR OMEGA



E600-9*6
Set of six



E601-9*6
Set of six

OMEGA BEVERAGE SERVERS

- ❑ Vacuum insulated, double-wall holds hot and cold beverages at temperature for 6 hours
- ❑ Durable brushed stainless steel liner, no glass
 - ❑ Remains sealed until tab is pushed for pouring



19599-5
20 oz./ 0.6 L



19600-5
34 oz./ 1.0 L




19601-5
52 oz./ 1.5 L



19602-5
68 oz./ 2.0 L

XCESSORIES TABLE DISPLAY

- Add additional interest and dimension to your buffet
- 10-year warranty on welds
- Hammered finished pieces are made with 18/8 stainless steel



MEDIUM WHEEL
XC3254
25.0"W x 6.63"D x 24.0"H

LARGE WHEEL
XC3255
30.25"W x 7.63"D x 29.13"H

HAMMERED BOWLS

- Double wall insulation keeps food hot and cold longer
- Made with mirror-polished 18/8 stainless steel



HAMMERED
STAINLESS STEEL
XC2261/36
14" Dia.

SERVING BOWLS/ PLATTERS BY SKYRA



REVERE SERVING BOWL
SK-5401141, 1.7 Liter
SK-5402141, 3 Liter
SK-5403141, 7 Liter



ANGLED REVERE
SERVING BOWL
SK-5301141, 1 Liter
SK-5302141, 2 Liter



BURNT COPPER FINISH
PLATTER
SK-10964, 10.5 L x 2 H x 8 W in
SK-10965, 16 L x 13 H x 12.5 W in



FURNITURE

Flexible. Functional. Beautiful.



MOBILE F&B CART

NEW!

Take your food & beverage mobile with the F&B Mobile Cart to create a truly unique experience for your guests - a warm brownie bar, chili station, carving station - the possibilities are endless.

- Choice of WilsonArt HPL laminate with AEON finish exterior
- Includes drop-in induction range, ice well, and condiment bar
- Ample storage space in cabinet
- Pull-out leaves for additional display
- Can be powered by one SpringVolt battery, see page 72
- Fits through a standard width doorway
- Customization available



MOBILE F&B CART
60"W x 30.0"D x 37.5"H
250 lbs.



TAPAS CART

NEW!

- Take tapas-style dining to your guests
- Choice of WilsonArt HPL laminate with AEON finish exterior
- Power with 1 Spring Volt portable battery pack (not included)
- Customization available



INCLUDES:

- (1) SM-300CR range with trim ring, flush mount install
- (1) Under Lit Mounted Bottle Box with 24" RGB LED bottle base with remote control
- (2) rear cabinet openings with fixed shelves
- Condiment container cutout
- Ice pan
- Bottle shelf
- Speed Rail
- Open rear toe kick to access caster locks

ICE CREAM CART

NEW!

- NSF-certified SmartStone™ top
- Choice of WilsonArt HPL laminate with AEON finish exterior
- Hidden frost top chills items without the need of a drain or the mess of ice
- Customization available



MOBILE COOKING STATIONS

- ❑ Heavy duty stainless steel work station

❑ UL 197 Certified

❑ Choose mobile or built-in

❑ Power management included

❑ Stainless steel or laminate color for cabinet doors on mobile units

❑ Efficient air filtering removes grease laden vapor and odors

❑ Optional drop down leaf and/or handle

CABINET DOOR LAMINATE OPTIONS:



MOBILE ACTION CARTS

- ❑ Beautiful, stainless steel mobile cart with heavy duty casters

❑ Efficient air filtering removes grease laden vapor and odors

❑ Flush-mounted induction ranges with LED power/temp display

❑ Integrated power source powers the entire unit



MCS3572
2600 Watt x2
Induction Ranges

MOBILE CULINARY STATION INCLUDES:

- (1) AF350 Down Draft Air Filtration System

(2) Flush Mounted Induction Cooking Ranges

(1) PM-2251 Power Management System

(2) Refrigerated Drawers

Stainless Steel Work Top

Jet black body wrap

Front locking casters

Stainless steel body with black vinyl wrap

Dimensions: 71.4”W x 34.8”D x 43.9”H

Protective, vinyl table covers available

CUSTOM MCS
Specify components and ranges

MOBILE INDUCTION KIOSK

OPTIONAL COMPONENTS:

- Casters

Refrigerators

Refrigerated Drawers

Drawers

Shelves

Sneeze Guards
- Insulated Ice Bins

Mechanically Cooled Pan

Speed rails

Task lights/ LED Lights

Air Filtration



BUILT-IN COOKING STATIONS
ICB234-18
Built-In (2) 1800 Watt Ranges,
(1) Down Draft Air Filter System

ICB234-26
Built-In (2) 2600 Watt Ranges,
(1) Down Draft Air Filter System

ICB348-18
Built-In (3) 1800 Watt Ranges,
(2) Down Draft Air Filter System

ICB348-26
Built-In (3) 2600 Watt Ranges,
(2) Down Draft Air Filter System

Optional doors for built-in
units available



MOBILE COOKING STATIONS
ICS234-18
Mobile (2) 1800 Watt Ranges,
(1) Down Draft Air Filter System

ICS348-18
Mobile (3) 1800 Watt Ranges,
(2) Down Draft Air Filter System

ICS234-26
Mobile (2) 2600 Watt Ranges,
(1) Down Draft Air Filter System

ICS348-26
Mobile (3) 2600 Watt Ranges,
(2) Down Draft Air Filter System,
Optional Drop-leaf, Optional Cart
Handle



QUICK SHIP TABLES

The Quick Ship Table or Credenza ships quickly to easily transform any space into a buffet area with hidden induction ranges and NSF-certified SmartStone™ top.

- ❑ Ships in two business days!
- ❑ Includes 3 Hidden 650 Watt Induction Ranges
- ❑ Controls accessible in back
- ❑ Finishes: Snow SmartStone®, dark walnut wood edge and brushed metal legs with casters



QUICK SHIP TABLE
QS7230
72.0"W x 30.0"D x 37.5"H
250 lbs.



QUICK SHIP CREDENZA
QSC6827
72.0"W x 30.0"D x 37.5"H
350 lbs.

HIDDEN & EXPOSED FROST TOPS

- ❑ Chill items without the mess of ice
- ❑ Remote condenser options available
- ❑ Works with a variety of stone or porcelain materials
- ❑ Custom sizes available
- ❑ Surface temperature of hidden: 0 to 30°F (-18 to -1°C)
- ❑ Exposed: 0 to 20°F (-18 to -7°C)



HIDDEN FROST TOPS

SS-FT-2422 24.0"W x 22.0"D 115 V 3 amps	SS-FT-3622 36.0"W x 22.0"D 115 V 10.3 amps	SS-FT-4822 48.0"W x 22.0"D 115 V 14 amps	SS-FT-6022 60.0"W x 22.0"D 115 V 14.8 amps	SS-FT-7222 72.0"W x 22.0"D 208 V 7.2 amps
--	---	---	---	--


EXPOSED FROST TOPS

RT-FT-2026 19.5"W x 25.25"D 120 V 3.5 amps	RT-FT-2040 19.5"W x 39"D 120 V 6.2 amps	RT-FT-2053 19.5"W x 53.13"D 120 V 6.4 amps	RT-FT-2066 19.5"W x 66.5"D 120 V 6.4 amps	RT-FT-2080 19.5"W x 80.25"D 120 V 7 amps
---	--	---	--	---

DOWN DRAFT AIR FILTRATION SYSTEM

- ❑ For Exposed Cooking Ranges
- ❑ Captures 96.7% of grease-laden vapor, odor and particulates caused from cooking
- ❑ 3-part filtration system runs quiet
- ❑ UL 197 Certified and UL-Sanitation to ANSI/NSF No.2



AF350 350 W 110-120 V 2.9 amps 60 Hz NEMA 5-15P	AF350-3  350 W 220-240 V 1.5 amps 50-60 Hz CEE 7/7 Schuko Plug OR BS 1363 (13A) U.K. Plug
---	---

AF9876 Trim Piece	AF9879 Galvanized Baffle Pre-Filter
-----------------------------	--

AF98710 High Efficiency Primary Cell Filter	AF98711 Carbon Absorption Final Filter
--	---

PORTABLE POWER

- Bring power to your mobile station or cart
 - 1440 W battery powers equipment 1000 W or less
 - Tested to ensure performance with Spring USA equipment
 - Deep cycling, pure sine wave inverter
- Current leakage, output overload, and overheating protection
 - Safety Certifications: FCC, RoHS, UN38.3
 - Quiet, lightweight operation




SPRINGVOLT BATTERY
SPBB-1440

MOBILE HANDWASHING STATION

- Chrome plated brass faucet/soap dispenser & stainless-steel sink
 - 5-gallon freshwater capacity, 7-gallon waste-water capacity
- 110-120 Volt, 2000 W, 13.4 Amp
 - Choice of laminate option



MOBILE HANDWASHING STATION
HWS11367



FOLDABLE/PORTABLE FOOD GUARDS


- Quick & easy set-up for added protection to any buffet, countertop, or wherever food is served
- Heavy-duty acrylic with brushed satin finish is easy to wipe clean
 - Foldable design allows for angled positioning and convenient storage



FOLDABLE/PORTABLE
SNEEZE GUARDS
MSG3619 36" x 25" x 191/2"
MSG4819 48" x 25" x 191/2"
MSG6019 60" x 25" x 191/2"

PIVOTING/PORTABLE FOOD GUARDS

- Easy to clean acrylic shield can be positioned at any angle
 - Convenient folding for storage
- Heavy-duty acrylic is easy to wipe clean
 - Available in black or clear




PIVOTING, PORTABLE
SNEEZE GUARD CLEAR
PSG36C 36" x 18" x 173/10"
PSG48C 48" x 18" x 173/10"
PSG60C 60" x 18" x 173/10"



PIVOTING, PORTABLE
SNEEZE GUARD
PSG36B 36" x 18" x 173/10"
PSG48B 48" x 18" x 173/10"
PSG60B 60" x 18" x 173/10"

FULL ENCLOSURE FOOD GUARDS


- Easy to clean acrylic with brushed stainless steel trim
- Glass and alternate sizes available as custom order



FULL ENCLOSURE
SNEEZE GUARD
TSSG3630 36" x 18" x 30"
TSSG4830 48" x 18" x 30"
TSSG6030 60" x 18" x 30"

PASS-THRU SAFETY SHIELD

- Quick & easy set-up for added protection to any buffet, countertop, or wherever food is served
- Pass-thru window for convenient customer service while protecting staff
- Heavy-duty acrylic is easy to wipe clean




SELF STANDING SAFETY SHIELD
WITH PASS-THRU WINDOW
SFPT2436, 36" W
SFPT2448, 48" W
SFPT2472, 72" W

SELF STANDING SAFETY SHIELD

- Provide a higher standard of safety with Spring USA safety shields
- Perfect for any food service, customer service, or retail application
- Lightweight, portable protection
- High-quality acrylic that is crystal clear and easy to clean
- Black powder-coated steel feet
- Fastening holes for mounting



SELF STANDING SAFETY SHIELD
SFTS2436, 36" W
SFTS2448 48" W
SFTS2472, 72" W



CUSTOM SOLUTIONS

Flexible. Functional. Beautiful.

BRING US YOUR VISION. WE BRING IT TO LIFE.

Spring USA® has been a foodservice industry leader since 1992. The first to introduce countertop induction and hidden induction furniture to the United States, Spring USA has worked with leading brands across the globe on delivering premium and custom products for any style, budget, and space.

DESIGN A FULLY CUSTOMIZED BUFFET WITH:

- ☐ SmartStone™
- ☐ Induction Ranges
- ☐ Frost Tops
- ☐ Food Guards
- ☐ Air Filtration
- ☐ Smallwares




PHOTO OF MIDNIGHT FINISH

FURNITURE

HOW DO I ORDER MY CUSTOM TABLE?

- 1 **DIMENSIONS** Specify the size required for your space.

2 **TYPE** Select from one of our options of mobile table, stationary or built-in.

3 **STYLE** Select one of our styles or build a custom design.
- 4 **EQUIPMENT** Add hidden or exposed induction ranges, frost tops, or both.

5 **FINISHES** Choose from our wood stains, laminate selections, SmartStone™ patterns and finishes, and edge styles.

6 **GET A QUOTE** Our expert team will provide you with a quote after a one-on-one consultation.




TABLE FEATURES OFFERED:

- ☐ Choice of SmartStone top and laminate or wood stain
 - ☐ Hidden or exposed controls
 - ☐ Discreet cord management
 - ☐ Heavy-duty, hidden casters
- ☐ Hidden/ drop-in induction
 - ☐ Hidden/ exposed frost tops
 - ☐ Shelving/ storage options
 - ☐ Protective padded vinyl covers
 - ☐ Turnkey installations av ailable

TABLES DESIGNED & BUILT IN THE USA

CUSTOM SOLUTIONS



ELEMENT



COMMUNAL



CREDENZA
Includes hidden casters.




CLASSIC
Includes hidden casters.



NESTING



MOSER
Includes hidden casters.



CONTINENTAL
Includes hidden casters.



REDFORD
Includes hidden casters.



HERITAGE



WATERFALL



BEAU



HERMOSA



FARMHOUSE



NAPER



CURVED LEG



CONTEMPORARY
Includes hidden casters.




THE SMARTSTONE™ SYSTEM

The Spring USA SmartStone™ System offers a highly customizable solution for durable and sophisticated foodservice countertops. Beautifully designed to house hidden or built-in induction or frost tops, these exclusive surfaces are capable of being integrated with any style or configuration.

All SmartStone induction countertops are resistant to high temperatures (ISO10545.9) and atmospheric stress, as well as being scratch resistant, impact resistant, totally hygienic and designed to meet the ever-new and changing demands of contemporary foodservice.

SMARTSTONE™ COLLECTIONS



REQUEST A SAMPLE FOR A TRUE REPRESENTATION OF COLOR.

SMARTSTONE BENEFITS



TRIVETLESS INDUCTION Specifically designed to work with Spring USA hidden Induction Ranges and Frost Tops.



NSF CERTIFIED Compact, non-porous material does not harbor bacteria with easy maintenance.



SUPERIOR QUALITY Resistant to scratches, stains, chemicals, UV, and corrosion to retain original beauty, lightweight with better durability.



PREMIUM FINISHES A vast color palette of natural polished, silky, and honed finishes. Request a sample today.

LAMINATES & STAINS

STANDARD LAMINATE




Low Line Saddle Oak Zebra Wood Jacobean Early American



Wash Raw Navy Grey Char

STANDARD STAINS



Smoke Special Walnut Ebony Natural Dark Walnut


PREMIUM LAMINATE



North Fork Pine Texas Walnut California Walnut Distilled Oak



Buka Bark Rio White Driftwood Blackened Chestnut



Chesapeake Antique Factory Antique

TABLE EDGE STYLES:



Straight L-Style 45-Degree Wood Apron Floating Metal



We are a collection of innovative foodservice brands dedicated to providing quality craftsmanship through our industry-leading products and solutions.

We believe quality products aren't just in the materials we use or the designs we develop, it's about creating solutions that bring our customers' visions to life and the reassurance that our products deliver the same premium performance time after time.

OUR BRANDS



LloydPans helps pizzerias, bakers, chefs and foods processors make their concepts a reality with an impressive custom pan operation. years, we've served some of the 30 For over largest pizza chains, bakeries and foodservice .operations in the world



Spring USA, a global leader in food service equipment, provides premium products & innovative solutions for induction cooking, buffetware, and custom banquet furniture. The first to introduce countertop and hidden induction to the U.S., Spring USA is trusted by .industry professionals worldwide



Artfully engineered by an aerospace engineer, Astra delivers highly reliable, affordable machines that have been handcrafted in Engineered for both .1993 the U.S. since design and efficiency, Astra products are remarkably durable & exceptional at delivering .uncompromising espresso time after time



Spring USA, a global leader in the food service equipment industry, was first to introduce countertop induction and functional banquet furniture to the United States. Known for their innovation and design of reliable, durable and beautiful products, Spring USA specializes in induction cooking & warming equipment, buffetware, mobile cooking stations, and custom-built tables with hidden induction and cooling elements. Chosen by industry professionals worldwide, Spring USA's commitment to quality is unwavering and unmatched.

Spring USA is the exclusive distributor of Skyra products in North America.

LEARN MORE, VISIT US: WWW.SPRINGUSA.COM

UPDATED CATALOGUE

ANGLO-EAST TRADING CO. (HK) LTD
ROOM 906, BLOCK B, PO LUNG CENTRE, 11 WANG CHIU ROAD,
KOWLOON BAY, KOWLOON, HONG KONG

英東貿易(香港)有限公司
香港九龍九龍灣宏照道11號寶隆中心B座906室

TEL: (852) 2375 1111 FAX: (852) 2375 3409
E-MAIL: SALES@ANGLO-EAST.HK

CONTACT US